



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D6201

Job Sheet 202304



Part No: D6201

Job Qty: 40 ft

Part Name: T Extrusion



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/24/19

Job Tracking No:

Due Date: 11/15/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG REV A

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing - Ft	40 ft		11/15/19	0.00	0.00	Purchasing - 1		
							Purchasing - 2		
							Purchasing - 3		
110	Packaging 2-1 - Receive - B4B	40 pcs		11/15/19	0.00	0.00	Packaging 2 - 1 - B4B		NOV 01 2019
							Packaging 2 - 2 - B4B		
							Packaging 2 - 3 - B4B		
							Packaging 2 - 5 - B4B		
							Packaging 2 - 4 - B4B		
							Packaging 2 - 6 - B4B		
							Packaging 2 - 7 - B4B		
							Packaging 2 - 8 - B4B		
							Packaging 2 - 9 - B4B		
							Packaging 2 - 10 - B4B		
							Packaging 2 - 11 - B4B		
							Packaging 2 - 12 - B4B		
							Packaging 2 - 13 - B4B		
							Packaging 2 - 14 - B4B		NOV 01 2019
							Packaging 2 - 15 - B4B		
							Packaging 2 - 16 - B4B		
							Packaging 2 - 17 - B4B		
							Packaging 2 - 18 - B4B		
							Packaging 2 - 19 - B4B		
							Packaging 2 - 20 -		



Container No: S229069



Part: D6201

Job No: 202304

Serial No/Batch: S229069

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 11/01/19

Plex 10/24/19 10:42 AM Dart.lajeunesse.marie

				B4B	
				Packaging 2 - 21 - B4B	
				Packaging 2 - 22 - B4B	
				Packaging 2 - 23 - B4B	
				Packaging 2 - 24 - B4B	
				Packaging 2 - 25 - B4B	
				Packaging 2 - 26 - B4B	
				Packaging 2 - 27 - B4B	
				Packaging 2 - 28 - B4B	
				Packaging 2 - 29 - B4B	
				Packaging 2 - 30 - B4B	
				Packaging 2 - 31 - B4B	
				Packaging 2 - 32 - B4B	
				Packaging 2 - 33 - B4B	
				Packaging 2 - 34 - B4B	
				Packaging 2 - 35 - B4B	
				Packaging 2 - 36 - B4B	
120 QC 18	40 pcs	11/15/19	0.00 0.00	QC 18 - 12	
				QC 18 - 14	
				QC 18 - 22	
				QC 18 - 25	
				QC 18 - 48	
				QC 18 - 58	
				QC 18 - 61	
				QC 18 - 9	
				QC 18 - 81	
130 Packaging 3-1 - Stock - B4B	40 pcs	11/15/19	0.00 0.00	Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	

Plex 10/24/19 10:42 AM Dart.lajeunesse.marie

				Packaging 3 - 16 - B4B		
				Packaging 3 - 17 - B4B		
				Packaging 3 - 18 - B4B		
				Packaging 3 - 19 - B4B		
				Packaging 3 - 20 - B4B		
				Packaging 3 - 21 - B4B		
				Packaging 3 - 22 - B4B		
				Packaging 3 - 23 - B4B		
				Packaging 3 - 24 - B4B		
				Packaging 3 - 25 - B4B		
				Packaging 3 - 26 - B4B		
				Packaging 3 - 27 - B4B		
				Packaging 3 - 28 - B4B		
				Packaging 3 - 29 - B4B		
				Packaging 3 - 30 - B4B		
				Packaging 3 - 31 - B4B		
				Packaging 3 - 32 - B4B		
				Packaging 3 - 33 - B4B		
				Packaging 3 - 34 - B4B		
				Packaging 3 - 35 - B4B		
Packaging 3 - 36 - B4B						
140	QC 21 - SA FT	40 ft	11/15/19	0.00 0.00	QC 21 - SA - 21	DAG
					QC 21 - SA - 70	21
					QC 21 - SA - 53	9-59

NOV 04 2019

NOV 04 2019

Part Op 100 - Issue P/O: _____ a)Description: T-beam extrusion b) 4.00" x 4.00" x 0.375" c) Minimum Ultimate Tensile Descriptions: Strength = 38ksi d) Minimum Yield Tensile strength = 35ksi e) Material: 6061-T6/T6511 (QQ-A-200/8)

110 - (Receive & Inspect for Damage & Mat'l Certs) Ensure material certification is attached

120 - Ensure Material certification comply to Dwg D6201

130 - (Identify as per dwg & Stock Location: _____) LOCATION: MAT028

140 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6201P	T Extrusion 4X4X3/8	40 ft (1 ea)	100-Purchasing - Ft	5228973

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing - Ft	D6201P	40	0	0

Part Specifications	
Specifications could not be found.	

Plex 10/24/19 10:42 AM Dart.lajeunesse.marie

Line 1 Dec 21



NOTES:
1) MATERIAL: ALUMINUM T-EXTRUSION, ROUND FILLET
6061-T6T6511 PER AMS-QQ-A-20018 OR QQ-A-20018
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: NONE
7) WEIGHT: 3.67 lb/r

1) MATERIAL: ALUMINUM T-EXTRUSION, ROUND FILLET
6061-T6/T6511 PER AMS-QQ-A-200/8 OR QQ-A-200/8 OR ASTM B221

MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
MINIMUM YIELD TENSILE STRENGTH = 35 KSI

2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A

6} IDENTIFICATION: NONE
7} WEIGHT: 3.67 lb/ft

100

100

RELEASED
2017-07-27
EAL 17-680

Ex 17-650

1

4

B	REFORMAT TO CURRENT STANDARDS; 1" TAPERS DEFINED BY 0.378 & 0.428 AND 0.415 WERE NON- CALCULATED. REASON: CARTR-184, UPDATE MATERIAL				ML	17.08.05
A	NEW ISSUE				CP	01.04.10
REV.	DESCRIPTION				BY	DATE
DESIGN	CP	DART AEROSPACE LTD				
DRAWN	ML	HAWKESBURY, ONTARIO, CANADA				
CHECKED	AJS	DRAWING NO.				REV. B
MFG. APPR.	LL	D6201				SHEET 1 OF 1
APPROVED	WM	TITLE				SCALE
DE APPR.	CP	T-BEAM EXTRUSION				NTS
DATE	17.06.05				COPYRIGHT © 2001 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRINTED AND CANNOT BE REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. FOR INFORMATION WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.						

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 202029 45
62-01-6

Entered: _____ Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐



Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Cross tube ☐ Eng. (Non-AW) ☐ Machining ☐ Small Fab ☐ Prod. Eng. Coord. ☐ Large Fab ☐ Finishing ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐		MRB (QS1042)																													
Date : _____		Sequence #: _____		QTY Affected : _____		Disposition																													
Description Work Order Deviation				Completed By																															
_____				Lead hand / Supervisor																															
_____				QC / QA Coordinator																															
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY <table border="1"> <tr> <td>Pressure/Forced</td> <td>Contamination</td> <td>Power Loss/Surge</td> <td>Positioned Wrong</td> </tr> <tr> <td>Bending</td> <td>Misaligned/off center</td> <td>Folio/Program</td> <td>Outside Tolerance</td> </tr> <tr> <td>Crushing</td> <td>BOM/Route</td> <td>Grain Direction</td> <td>Drawing</td> </tr> <tr> <td>Cracks</td> <td>Broken/Damage/Defect</td> <td>Weld</td> <td>Finish</td> </tr> <tr> <td>Crimp/Kink/Ripple/Wave/Twist</td> <td>Incomplete/Unclear Instructions</td> <td>Wrong Stock Pulled</td> <td>Part Lost/Missing</td> </tr> <tr> <td>Marks/Chatter</td> <td>Drill Holes</td> <td>Out of Sequence</td> <td>Misread</td> </tr> <tr> <td>Mislabeled</td> <td>Fit/Function</td> <td>Off-set/Set-up</td> <td></td> </tr> </table> Other/Details: _____						Pressure/Forced	Contamination	Power Loss/Surge	Positioned Wrong	Bending	Misaligned/off center	Folio/Program	Outside Tolerance	Crushing	BOM/Route	Grain Direction	Drawing	Cracks	Broken/Damage/Defect	Weld	Finish	Crimp/Kink/Ripple/Wave/Twist	Incomplete/Unclear Instructions	Wrong Stock Pulled	Part Lost/Missing	Marks/Chatter	Drill Holes	Out of Sequence	Misread	Mislabeled	Fit/Function	Off-set/Set-up	
Pressure/Forced	Contamination	Power Loss/Surge	Positioned Wrong																																
Bending	Misaligned/off center	Folio/Program	Outside Tolerance																																
Crushing	BOM/Route	Grain Direction	Drawing																																
Cracks	Broken/Damage/Defect	Weld	Finish																																
Crimp/Kink/Ripple/Wave/Twist	Incomplete/Unclear Instructions	Wrong Stock Pulled	Part Lost/Missing																																
Marks/Chatter	Drill Holes	Out of Sequence	Misread																																
Mislabeled	Fit/Function	Off-set/Set-up																																	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **POHB044900**



Supplier: ACI001-VC
Acier Ouellette Inc.
935 Boul. Du Havre
Valleyfield
QC
J6S 5L1 Canada
Phone: 800 667 4248
Fax: 450 377 5696

Attention: Langevin, Melanie

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: POHB044900

PO Date: 10/25/19

Due Date: 11/4/19

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
Phone: 613-623-5200 Ext: 242
Fax: 613-632-1053
clavoie@dartaero.com

Via: Ground

Pyrit Terms: Net 60

Freight Terms:

Special Comments: QUOTE NO. SOU0219481
QUOTE NO. SOU0219392

OCT 28 2019

Items

Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1		D6201P	D6207		T Extrusion 4X4X3/8 : AS PER DWG D6201 REV. A Aluminum T-Extrusion MAT'L 6061-T6 PER AMS- QQ-A-200/8 OR QQ-A- 200/8 OR ASTM B221	Firmed	-	11/4/19	40 ft	40 ft	40 ft	\$23.0135/ft	\$920.54
2		M303R0.250			303 Round Bar 0.250" : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE	Firmed	-	11/4/19	36 ft	0 ft	36 ft	\$0.66111/ft	\$23.80
3		M303R0.500			303 Round Bar 0.500" : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	-	11/4/19	60 ft	0 ft	60 ft	\$2.1741666/ft	\$130.45
4		M303R0.625			303 Round Bar 0.625" : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	-	11/4/19	12 ft	0 ft	12 ft	\$4.13/ft	\$49.56
5		M303R1.000			303 Round Bar 1.00 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	-	11/4/19	60 ft	0 ft	60 ft	\$9.37033/ft	\$562.22
6		M303R0.750	648.1400		303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	-	11/4/19	24 ft	0 ft	24 ft	\$5.64666/ft	\$135.52

Plex 10/28/19 10:44 AM Dart.Lavoie.Chantal



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER POHB044900



Items

Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
7		M6061T6R0.500			6061-T6 Round Bar .500" : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 4128/4115/4116 OR QQ-AA-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B221 OR ASTM B221 receive ft	Firmed	-	11/4/19	20 ft	0 ft	20 ft	\$0.6835/ft	\$13.67
8		M6061T6R7.000			6061-T6 Round Bar 7.000" : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 4128/4115/4116 OR QQ-AA-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B221 OR ASTM B221 receive ft	Firmed	-	11/4/19	12 ft	0 ft	12 ft	\$136.57916/ft	\$1,638.95
Line Item Note CUT IN SECTION OF 6 FT													
9		M6061T6R3.250			6061-T6 Round Bar 3.250" : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 4128/4115/4116 OR QQ-AA-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B221 OR ASTM B221 receive ft	Firmed	-	11/4/19	24 ft	0 ft	24 ft	\$30.21625/ft	\$725.19
Line Item Note CUT IN SECTION OF 6 FT													
10		M6061T6R1.000			Round Bar 1.00" : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 4128/4115/4116 OR QQ-AA-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B221 OR ASTM B221 receive ft	Firmed	-	11/4/19	240 ft	0 ft	240 ft	\$3.0150416/ft	\$723.61

Grand Total: \$4,923.51



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER
POHB044900



Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable). No Raw Metals from China or Soviet Bloc Countries. (DFARS)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program.

A049 supplier awareness.

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

CL

Plex 10/28/19 10:44 AM Dart.Lavoie.Chantal

**ACIER OUELLETTE INC.**

935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

DELIVERY - CLIENT**Copy**

CO00176516

Billed to

DART AEROSPACE LTD

1270 , ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

1270 , ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Att : CHANTAL

Instruction F-M**Delivery Route** 5

Customer N° CLI0001056
Date 2019/10/28
Delivery date 2019/11/01
Your order N° POHB044900
Processed by Josianne Bourdon
Salesman JOSIANNE BOURDON
Carrier OUELLETTE VALLEYFIELD
Credit Terme Net 30 Days

Product Description	Weight	Qty	UM	PCS NB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
1 T-BAR ALU 4 X 4 X 3/8 * D6201 TBAL-4438 6434 2 X 20' POHB044900-LINE 1 HEAT : 5534309 AC30974-MGR-30/10	137.20	40.00	PL_\$CLB								
		1.00	UN_\$UN								
Note : ATTENTION: MILL TEST REQUIS Chaque item identifier avec : - Le # PO client - Le # d'item - Le heat # - Emballer les pièces dans carton											

Conditions :

All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Total Weight (Lbs) : 137.20**NIR : R-109516-6**

Prepared By :

Verified By :

Delivered By :

Time

Customer's Signature :

Date

30974N



SIGNATURE ALUMINUM CANADA
1850 CLEMENTS RD
PICKERING, ON L1W 3R8

CERTIFICATE OF COMPLIANCE

Cert Date	Cert No.	Sales Order	Page
08/08/2019	5534309	Um 138412	1
Cust PO	BA No	Lot	Date
B 97016835	043179	920846	08/08/19

Sold to:		Ship to:	
Item No.	Part No.	Item Description	Cust Part
001	C-031522-8	240" MILL 6061 T6	28834 4X4X.375 T ✓
Gross Weight	1,325 LBS		
Net Qty	1,289 LBS 19 PCS 2 PKGS		
Specification	ASTM B308-02 & ASTM B221-08		Die Desc
		Um	

Mechanical Tests:

Tensile	Yield	% Elongation	Conductivity	HRE
MPA / KSI	MPA / KSI			
277.3 / 40.2	253.6 / 36.8	15.3	N/A	92

Chemical Analysis:

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	V	Zr
0.59	0.27	0.21	0.05	0.92	0.07	0.08	0.02	0.01	0.00

This Material is Made in Canada
This Material is RoHS Compliant


4" x 4" x 3/8"
alum T6
June 2019

This will certify that the material described herein has been inspected and tested in accordance with Signature Aluminum Canada's standard sampling and testing procedures or in accordance with the requirements of any specification forming a part of the material description to the extent indicated herein. Data of chemical composition for the material and test results from samples representative of the material are set forth above hereof or in any attachments hereto. This information shows that the material meets the applicable requirements. Inspection and test records are maintained on file. This certificate shall be deemed apart of and subject to the terms and conditions of warranty set forth on the reverse side of our order acknowledgement form. No other warranties are applicable.

S. Gooder
Quality Manager
Signature Aluminum Canada Inc

ISO 9001/TS1694 Registered Company

Visit us at www.signaturealuminum.com

Rev A

Heat: 5534309

4" x 4" x 3/8"

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: D6201
 DATE: NOV 01 2019

PO / BATCH NO.: POHBO44000/
5228973

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 40 #
 QUANTITY INSPECTED: 40 #
 QUANTITY REJECTED: -

THICKNESS ORDERED: 3/8"
 THICKNESS RECEIVED: 3/8"
 SHEET SIZE ORDERED: -
 SHEET SIZE RECEIVED: -

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <u>(N)</u>	
CORRECT FINISH	<u>(Y)</u> N	
CORROSION	Y <u>(N)</u>	
CORRECT GRAIN DIRECTION	<u>(Y)</u> N	
CORRECT MATERIAL PER M-DRAWING	<u>(Y)</u> N	ASTM B221
CORRECT THICKNESS	<u>(Y)</u> N	
PHOTO REQUIRED	Y <u>(N)</u>	
CORRECT REF # TO LINK CERT	<u>(Y)</u> N	HT: 5534309
CORRECT MATERIAL IDENTIFICATION	<u>(Y)</u> N	
CORRECT M# ON THE MATERIAL	<u>(Y)</u> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <u>(N)</u>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <u>(N)</u>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: _____	DAS 81 9-89	SIGNED OFF BY: _____	
DATE: <u>NOV 01 2019</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in